

# CITY OF TUCKER

## ACKNOWLEDGE RECEIPT OF ADDENDUM #2

ITB 2025-001

### STORMWATER SYSTEM REPAIR PROJECTS

**Please print this page and include it in your submittal.**

I hereby acknowledge receipt of the supplement pertaining to the above referenced bid.

COMPANY NAME: \_\_\_\_\_

CONTACT PERSON: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

EMAIL ADDRESS: \_\_\_\_\_

\_\_\_\_\_  
SIGNATURE DATE

ITB 2025-001  
ADDENDUM #2

For Location 3, 2084 Rotherwood Drive, there is a beaver dam that has increased the elevation of the incoming stream, it is uncertain whether the dam will maintain its current affect or whether it will be removed in line with the timeline of the execution of this project location. Therefore, a line item will be added to the quantities list for this location “bypass pumping setup – equipment and hose placement” that should take into account the possibility of constructing a small coffer dam to allow for drying of the work area.

The attached Exhibit B: Unit Price Cost Proposal REVISED 02/12/25 is the required Bid Submittal Document to be utilized when submitting bids. The singular change is the addition of the aforementioned line item for Location 3.

**ITB #2025-001 STORMWATER SYSTEM REPAIR PROJECTS**  
**Exhibit B: Unit Price Cost Proposal**  
**REVISED 02/12/25**

LOCATION 1: 1612 MOUNTAIN SHADOW TRAIL

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	2	EA		
Out of Scope Work, Foreman	20	HR		
Out of Scope Work, Laborer	60	HR		
<b>Traffic Control</b>				
Traffic Control Minor 2 – Includes Cones and Signage	5	Per Day		
<b>Specialty Storm Line Cleaning, Applicable to heavy roots, Large diameter rocks, large debris, etc</b>				
12" to 36" PIPE	40	LF		
<b>Spiral Rib Corr. Steel Pipe (14 ga. Tp. 2 Alum) Includes excavation, backfill, &amp; compaction</b>				
30" SRCMP	16	LF		
<b>Internal Pipe Point Repairs (Including cutting, trimming, jacking, etc.)</b>				
30" Diameter	10	LF		
<b>Grout Connection To Structure</b>				
30" Grout Each End to Structure	2	EA		
<b>LINING REQUIREMENTS</b>				
<b>Cured In Place Pipe Liner (CIPP) - (12' or less in depth) Includes Pre and Post Television Inspections during lining</b>				
30" PIPE - 13.5mm (.532")	180	LF		
Additional Cost Per 1.5mm (.0591") Thickness - 30" PIPE	180	LF		
<b>Inversion Setup</b>				
Inversion Setup Charge 15"- 36" CIPP	1	EACH		
<b>Earthwork &amp; Grading</b>				
Tree Removal 6"-12""	5	EA		
Clear & Grubbing	250	SY		
Debris Removal	10	CY		
<b>Erosion Control</b>				
Stone Rip Rap Type III In Place	12	TON		
Rock Bags for curb inlet/CB sediment Protection	2	EA		
Seed & Straw (Permanent Grassing)	100	SY		

Pine Straw	20	EA		
<b>Miscellaneous Items</b>				
Bypass pumping setup-equipment and hose placement	1	EA		
4" Pumping Operation Time	60	HR		
<b>1612 MOUNTAIN SHADOW TRAIL SUBTOTAL</b>				

LOCATION 2: 6098 KINGS MOUNTAIN WAY

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	2	EA		
Out of Scope Work, Foreman	8	HR		
Out of Scope Work, Laborer	24	HR		
<b>Traffic Control</b>				
Traffic Control Minor 2 – Includes Cones and Signage	3	Per Day		
<b>Storm Line Cleaning (less than 25% full)</b>				
36" PIPE - Cleaning less than 25% full	170	LF		
<b>Internal Pipe Point Repairs (Including cutting, trimming, jacking, etc.)</b>				
36" Diameter	30	LF		
<b>Miscellaneous &amp; Special Structures/Components</b>				
5'x5' Precast Top w/ MH Ring and Cover	1	EA		
Uncover Buried Junction Box (<4')	1	EA		
<b>Grout Connection To Structure</b>				
36" Grout Each End to Structure	2	EA		
<b>LINING REQUIREMENTS</b>				
<b>Cured In Place Pipe Liner (CIPP) - (12' or less in depth)</b>				
Includes Pre and Post Television Inspections during lining				
36" PIPE - 16.5mm (.650")	176	LF		
Additional Cost Per 1.5mm (.0591") Thickness - 36" PIPE	176	LF		
<b>Inversion Setup</b>				
Inversion Setup Charge 15"- 36" CIPP	1	EACH		
<b>Earthwork &amp; Grading</b>				

Debris Removal	5	CY		
<b>Erosion Control</b>				
Seed & Straw (Permanent Grassing)	50	SY		
<b>6098 KINGS MOUNTAIN WAY SUBTOTAL</b>				

**LOCATION 3: 2804 ROTHERWOOD DRIVE**

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	1	EA		
<b>Traffic Control</b>				
Traffic Control Minor 2 – Includes Cones and Signage	2	Per Day		
<b>Storm Line Cleaning (less than 25% full)</b>				
42" PIPE - Cleaning less than 25% full	180	LF		
<b>Spiral Rib Corr. Steel Pipe (14 ga. Tp. 2 Alum) Includes excavation, backfill, &amp; compaction</b>				
42" SRCMP	32	LF		
<b>LINING REQUIREMENTS Cured In Place Pipe Liner (CIPP) - (12' or less in depth) Includes Pre and Post Television Inspections during lining</b>				
42" PIPE - 19.5mm (.768")	180	LF		
Additional Cost Per 1.5mm (.0591") Thickness - 42" PIPE	180	LF		
<b>Inversion Setup</b>				
Inversion Setup Charge 42"- 60" CIPP	1	EACH		
<b>Spin Cast / Geopolymer Lining</b>				
<b>Erosion Control</b>				
Stone Rip Rap Type III In Place	12	TON		
Seed & Straw (Permanent Grassing)	30	SY		
<b>Miscellaneous Items</b>				
Removal of Existing Drainage Structure	1	EA		
Remove Existing Pipe all Types and Sizes	32	LF		
Bypass pumping set-up equipment and hose placement	1	EA		
4" Pumping Operation Time	60	HR		
<b>2804 ROTHERWOOD DRIVE SUBTOTAL</b>				

LOCATION 4: 1940 WOBURN DRIVE / 1934 WOBURN COURT

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	1	EA		
Out of Scope Work, Foreman	12	HR		
Out of Scope Work, Laborer	16	HR		
<b>Traffic Control</b>				
Traffic Control Minor 2 – Includes Cones and Signage	2	Per Day		
<b>TV Inspection and Jet-Vac Cleaning</b>				
TV Storm Lines (includes DVD & Report)	144	LF		
<b>High Density Polyethaline Pipe (HDPE) Includes excavation, backfill, &amp; compaction</b>				
18" HDPE	144	LF		
<b>Precast Headwalls</b>				
Precast Headwall for 18" Pipe	1	EA		
<b>Miscellaneous &amp; Special Structures/Components</b>				
Invert Installation, 4' Diameter	1	EA		
<b>Grout Connection To Structure</b>				
18" Grout Each End to Structure	1	EA		
<b>Earthwork &amp; Grading</b>				
Tree Removal 6"-12"	3	EA		
Tree Removal 13"-23"	2	EA		
Tree Removal >23"	2	EA		
Clear & Grubbing	80	SY		
Channel Excavation	20	CY		
Haul-In Structural Fill Material	150	CY		
Haul-Off Soil Material	150	CY		
Finish Grading	150	SY		
<b>Erosion Control</b>				
Stone Rip Rap Type III In Place	12	TON		
Install & Remove Type A Silt Fence	60	LF		
Seed & Straw (Permanent Grassing)	120	SY		
<b>Miscellaneous Items</b>				

Connect to Existing Structures	1	EA		
Debris Removal, Tandem Dump Truck	3	Per Load		
Removal of Existing Drainage Structure	1	EA		
Remove Existing Pipe all Types and Sizes	144	LF		
Remove and Replace Existing 4' Galvanized Standard Chain Link Fence Residential	100	LF		
<b>1940 WOBURN DRIVE / 1934 WOBURN COURT SUBTOTAL</b>				

**LOCATION 5: 3458 CANADIAN WAY**

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	1	EA		
Out of Scope Work, Foreman	6	HR		
Out of Scope Work, Laborer	12	HR		
<b>Traffic Control</b>				
Traffic Control Minor 2 – Includes Cones and Signage	2	Per Day		
<b>TV Inspection and Jet-Vac Cleaning</b>				
TV Storm Lines (includes DVD & Report)	110	LF		
<b>Storm Line Cleaning (less than 25% full)</b>				
60" PIPE - Cleaning less than 25% full	110	LF		
<b>Reinforced Concrete Pipe (RCP) Tp 3 Includes excavation, backfill, &amp; compaction</b>				
60" RCP	110	LF		
<b>Miscellaneous &amp; Special Structures/Components</b>				
6' Dia Round to Square	1	EA		
5'x5' Precast Top w/ MH Ring and Cover	1	EA		
Invert Installation, 6' Diameter	1	EA		
Uncover Buried Junction Box (4'-7.9')	1	EA		
<b>Grout Connection To Structure</b>				
18" Grout Each End to Structure	1	EA		
60" Grout Each End to Structure	2	EA		
<b>Earthwork &amp; Grading</b>				

Tree Removal 13"-23"	4	EA		
Tree Removal >23"	4	EA		
Clear & Grubbing	100	SY		
Haul-In Structural Fill Material	10	CY		
Finish Grading	80	SY		
<b>Erosion Control</b>				
Sodding Complete-Bermuda	80	SY		
<b>Miscellaneous Items</b>				
Connect to Existing Structures	1	EA		
Debris Removal, Tandem Dump Truck	3	Per Load		
Remove Existing Pipe all Types and Sizes	110	LF		
Bypass pumping setup-equipment and hose placement	1	EA		
6" Pumping Operation Time	48	HR		
Reset Existing Headwall - 60" DIA	1	EA		
Adjust Manhole Cover in soil (complete, includes removal or modification of old structure top)	1	EA		
<b>3458 CANADIAN WAY SUBTOTAL</b>				

**ADD ALTERNATE: 1921 LILBURN STONE MTN - BOX CULVERT REPAIR**

Item	Projected Units	Unit	Unit Price	Projected Cost
<b>General Conditions</b>				
Mobilization	1	EA		
Out of Scope Work, Foreman	24	HR		
Out of Scope Work, Laborer	60	HR		
<b>Traffic Control</b>				
Traffic Control Minor 1 – Includes Continuous Crew of 2 Flagmen	4	Per Day		
Traffic Control Major - Included Road Closure Detours, Signs,	2	EA		
<b>Cast in Place Concrete</b>				
Concrete Drainage Structures Poured In Place w/ Steel	25	CY		
<b>Earthwork &amp; Grading</b>				
Tree Removal 6"-12"	2	EA		
Tree Removal 13"-23"	1	EA		



Clear & Grubbing	100	SY		
Additional Excavation	40	CY		
Haul-In Structural Fill Material	20	CY		
Haul-Off Soil Material	20	CY		
Debris Removal	10	CY		
<b>Erosion Control</b>				
Stone Grouted Rip Rap 12" Installed	10	SY		
Seed & Straw (Permanent Grassing)	50	SY		
<b>Miscellaneous Items</b>				
Debris Removal, Tandem Dump Truck	1	Per Load		
Removal of Existing Drainage Structure	1	EA		
Saw Cut Existing Pavements	20	LF		
<b>ADD ALTERNATE: 1921 LILBURN STONE MTN -BOX CULVERT REPAIR SUBTOTAL</b>				

	<b>Proposed Cost</b>
LOCATION 1: 1612 MOUNTAIN SHADOW TRAIL	
LOCATION 2: 6098 KINGS MOUNTAIN WAY	
LOCATION 3: 2804 ROTHERWOOD DRIVE	
LOCATION 4: 1940 WOBURN DRIVE / 1934 WOBURN COURT	
LOCATION 5: 3458 CANADIAN WAY	

COST PROPOSAL TOTAL FOR 5 LOCATIONS (BASE):

COST PROPOSAL FOR ADD ALTERNATE:

COST PROPOSAL FOR BASE AND ALTERNATE

\*In case of discrepancy between the unit price and the total price on the completed Bid Schedule, the unit price will prevail, and the total price will be corrected.

## **Proposal Price Certification**

In compliance with the attached specification, the undersigned understands the City's minimum scope requirements.

The undersigned offers and agrees that if this proposal is accepted by the Mayor and City Council within one hundred twenty (120) days of the date of proposal opening, that the undersigned will furnish any or all of the deliverables and additional services offered, at the quoted price, to the designated point(s) within the time specified.

COMPANY \_\_\_\_\_

AUTHORIZED SIGNATURE \_\_\_\_\_

PRINT / TYPE NAME \_\_\_\_\_

CONTACT'S EMAIL ADDRESS \_\_\_\_\_